




PLATING, PROCESSING and STORAGE TANKS

CHEMICALLY RESISTANT, SELF-SUPPORTING LINEAR HIGH DENSITY POLYETHYLENE TANKS



- Molded as one piece — No seams to leak
- Excellent chemical resistance — Ideal for handling acids or caustics
- Operating temperatures to 140° F
- Excellent impact resistance for long, dependable service
- Translucent* for viewing content level
- Tank covers and stands available

* The degree of translucency varies with wall thickness and tank color.

RECTANGULAR TANKS

CAPACITY (Gallons)	DIMENSIONS (Inches) L x W x D	TANK ONLY PRICE CODE NO.	COVER ONLY PRICE CODE NO.
7	12 x 12 x 12	88-0600	88-0606
11	12 x 12 x 18	88-1551	88-0606
14	12 x 18 x 15	88-1552	88-3311
15	12 x 24 x 12	88-3065	88-3310
18	12 x 18 x 18	88-3066	88-3311
25	18 x 18 x 18	88-3067	88-3312
30	12 x 24 x 24	88-3068	88-3310
37	18 x 24 x 18	88-0603	88-0609
44	18 x 24 x 24	88-3069	88-0609
56	24 x 30 x 18	88-3070	88-3314

CAPACITY (Gallons)	DIMENSIONS (Inches) L x W x D	TANK ONLY PRICE CODE NO.	COVER ONLY PRICE CODE NO.
62	20 x 36 x 20	88-0604	88-0607
75	24 x 24 x 30	88-3071	88-3315
90	24 x 36 x 24	88-0610	88-0611
115	30 x 30 x 30	88-3072	88-3316
150	24 x 48 x 30	88-3073	88-3317
230	40 x 45 x 30	88-3074	88-3318
390	42 x 66 x 33	88-3301	88-3319
530	54 x 54 x 42	88-3302	88-3320
670	36 x 72 x 60	88-3303	88-3321

CYLINDRICAL TANKS

CAPACITY (Gallons)	DIMENSIONS (Inches) Dia. x Ht.	TANK ONLY PRICE CODE NO.	COVER ONLY PRICE CODE NO.
30	18 x 29	88-0612	88-0622
55	22 x 36	88-0613	88-0623
100	28 x 42	88-0614	88-0624
200	36 x 48	88-0615	88-0625
360	48 x 48	88-0616	88-0626
500	52 x 60	88-3304	88-3322
650	48 x 84	88-3305	88-0626
800	60 x 66	88-3306	88-3323

CYLINDRICAL CONE BOTTOM TANKS

Open top tanks for convenient filling and mixing of chemicals to 140° F.

Cone bottom design allows for complete drainage.

CAPACITY (Gallons)	DIMENSIONS (Inches) Dia. x Ht.	TANK ONLY PRICE CODE NO.	STAND/W/MOUNT PRICE CODE NO.
30	18 x 29	88-3077	77-1304
55	22 x 36	88-3078	77-1305
75	30 x 24	88-3079	77-1306
100	30 x 36	88-3080	77-1307
125	42 x 24	88-3081	77-1308
200	31 x 65	88-3082	77-1309
250	42 x 46	88-3083	77-1310
350	42 x 60	88-3307	77-1311
500	52 x 64	88-3308	77-1312
750	62 x 58	88-3309	77-1313

CYLINDRICAL DRUM LINERS


CAPACITY (Gallons)	DIMENSIONS (Inches) Dia. x Ht.	TANK ONLY PRICE CODE NO.	COVER ONLY PRICE CODE NO.
30	18 x 28	88-0617	88-0627
55	22 x 35	88-0618	88-0628

Consult Sales Department for optional pipe connections, larger capacities, special assemblies with pumps and level controls and F.O.B point.



PLASTIC FITTINGS

A-213F



FOR TOTAL SOLUTION CONTAINMENT

PIPE / VALVES / FITTINGS / FLANGES
HOSE / CLAMPS / STRAINERS
TANK CONNECTIONS AND MORE . . .

Polypropylene, CPVC and PVDF (See a chemical resistance guide)




All fittings are designed to be used conventionally with tape or other types of thread lubricant, but to achieve total solution containment, fittings with "O"-rings are offered which enable the installer to seal the joint even if the fitting is slightly unscrewed as might be required to achieve the proper location of an elbow.





These "O"-rings also provide the necessary expansion to seal a joint when the fitting is cold and the plastic shrinks, as well as when the plastic expands. There is simply no better way to assure that a sealed joint has been established with disjoinable fittings than with the use of "O"-rings.

Make certain your pumping, agitation & filtration systems are properly piped. Select installation components from this bulletin. Always refer to operating instructions to ensure trouble-free and efficient performance.

Contact our sales application engineering dept. for recommendations and a complete selection of plastic pumps, filters, agitation and filtration systems.

ADAPTERS - HOSE I.D. x MNPT














DESCRIPTION	MATERIAL (molded)	5/8" x 1/2"	5/8" x 3/4"	3/4" x 3/4"	3/4" x 1"	1" x 1"
		PRICE CODE NUMBERS				
 STRAIGHT ADAPTER	CPVC PVDF	33-0710 33-0710 K	33-0503 33-0503 K	33-0711 33-0711 K	33-1360 33-1360 K	33-0712 33-0712 K
 ELBOW ADAPTER	CPVC PVDF	33-1336 33-1336 K	33-0504 33-0504 K	33-1337 33-1337 K	33-1342 33-1342 K	33-1338 33-1338 K
 OPTIONAL "O"-RING	EPDM VITON	22-0569 22-0568	22-0570 22-0563	22-0570 22-0563	22-0442 22-0533	22-0442 22-0533


DESCRIPTION	MATERIAL (machined)	1 1/4" x 1 1/4"	1 1/2" x 1 1/2"	2" x 2"
		PRICE CODE NUMBERS		
 STRAIGHT	CPVC	33-1157	33-1158	33-1159
 STRAIGHT / W/"O"-RING	CPVC & EPDM	33-0713	33-0714	33-0759
 ELBOW	CPVC	33-1482	33-1483	33-1484
 ELBOW / W/"O"-RING	CPVC & EPDM	33-0788	33-0790	33-0758





CPVC, POLYPROPYLENE & PVDF
for total solution containment















DESCRIPTION			PART NUMBERS for CPVC ¹						
			For polypropylene add -PP, for PVDF add -K						
			1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"
NIPPLE (NPT) Threaded both ends 	Close Short 3" Long 4" Long 5" Long 6" Long	Socket	33-0197	33-1005	33-1011	33-1017	33-1023	33-1029	33-1041
		Socket	33-0198	33-1006	33-1012	33-1018	33-1024	33-1030	33-1042
		Socket	33-1001	33-1007	33-1013	33-1019	33-1025	33-1031	—
		Socket	33-1002	33-1008	33-1014	33-1020	33-1026	33-1032	33-1043
		Socket	33-1003	33-1009	33-1015	33-1021	33-1027	33-1033	33-1044
BALL VALVE Double union w/Viton "O"-ring 	Threaded (NPT)	33-0570	33-0571	33-0572	33-0573	33-0574	33-0575	33-0576	
	Socket	33-0578	33-0579	33-0580	33-0581	33-0582	33-0583	33-0584	
UNION w/Viton "O" ring 	Socket	33-0196	33-0287	33-0288	33-0289	33-0290	33-0291	33-0292	
	Threaded (NPT)	33-0293	33-0294	33-0295	33-0296	33-0297	33-0298	33-0199	
TEE 	Socket	33-0195	33-0950	33-0951	33-0952	33-0953	33-0954	33-0956	
	Threaded (NPT)	33-0958	33-0959	33-0960	33-0961	33-0962	33-0963	33-0965	
90° ELBOW 	Socket	33-0193	33-0984	33-0985	33-0986	33-0987	33-0988	33-0990	
	Threaded	33-0992	33-0993	33-0994	33-0995	33-0996	33-0997	33-0999	
45° ELBOW 	Socket	33-0194	33-0967	33-0968	33-0969	33-0970	33-0971	33-0973	
	Threaded (NPT)	33-0975	33-0976	33-0977	33-0978	33-0979	33-0980	33-0982	
COUPLING 	Socket	33-0882	33-0883	33-0884	33-0885	33-0886	33-0887	33-0889	
	Threaded (NPT)	33-0891	33-0892	33-0893	33-0894	33-0895	33-0896	33-0898	
FLANGE 	Socket	33-0829	33-0830	33-0831	33-0832	33-0833	33-0834	33-0836	
	Threaded (NPT)	33-0839	33-0840	33-0841	33-0842	33-0843	33-0844	33-0846	
FLANGE GASKET 	EPDM	22-0517	22-0518	22-0236	22-0237	22-0238	22-0239	22-0243	
CAP 	Socket	33-1140	33-1141	33-1142	33-1143	33-1144	33-1145	33-1147	
	Threaded (NPT)	33-0873	33-0874	33-0875	33-0876	33-0877	33-0878	33-0880	
PLUG 	Threaded (NPT)	33-0866	33-0211	33-0212	33-0867	33-0868	33-0869	33-0871	
	Threaded with EPDM "O" ring	33-0791	33-0755	33-0792	—	—	—	—	
"O"-RING 	EPDM	22-0569	22-0570	22-0442	—	—	—	—	
	Viton	22-0568	22-0563	22-0533	—	—	—	—	
REDUCING BUSHING 	Socket	1/2" x 1/4"	3/4" x 1/2"	1" x 3/4"	1 1/4" x 1"	1 1/2" x 1 1/4"	2" x 1 1/2"	3" x 2"	
	Threaded (NPT)	33-1110	33-1111	33-1112	33-1113	33-1114	33-1115	33-1118	
		33-1130	33-1131	33-0184	33-0183	33-1137	33-1132	33-1862	







Pipe, hose, clamps, strainers, tank connections & valves

A-213F

DESCRIPTION		PRICE CODE NUMBERS							
		1/2"	5/8"	3/4"	1"	1-1/4"	1-1/2"	2"	3"
 CPVC PIPE per ft.	Schedule 40 Socket only	33-0233	—	33-0234	33-0235	33-0236	33-0237	33-0238	33-0228
	Schedule 80 Unthreaded	33-0216	—	33-0217	33-0218	33-0219	33-0220	33-0221	33-0223
 HOSE	Vinyl w/PVC	—	—	—	22-0392	22-0393	22-0394	22-0395	—
	Vinyl, clear, wire reinforced	22-0494	22-0484	22-0482	22-0483	22-0527	22-0528	22-0529	—
	Vinyl, clear (Discharge only)	22-0490	22-0491	22-0492	22-0493	—	—	—	—
	Vinyl, clear, nylon reinforced	22-0424	22-0480	22-0481	22-0432	22-0433	22-0434	22-0435	—
	Teflon® ribbed, 8 ft. length	—	—	22-0462	22-0463	—	—	—	—
	Vinyl, cross linked, PE lined	—	—	22-0548	22-0549	—	—	—	—
 CLAMPS	Stainless steel	22-0502	22-0502	22-0505	22-0505	22-0503	22-0503	22-0504	—
 STRAINERS	PP w/hose adapter	—	99-0166	99-1160	—	—	—	—	—
	 PE, NPT PE, BSP	—	—	33-6078	33-6058	—	99-0743 1	99-0744 1	99-0745 64-1339 01
		—	—	—	—	—	—	—	—
	 ECTFE (Halar®), NPT BSP	—	—	—	—	—	99-1029	99-1030	99-1031 64-1339 91
—		—	—	—	—	—	—	—	
 BULKHEAD TANK CONNECTION	PP	33-0690	—	33-0691	33-0692	33-0693	33-0694	33-0695	33-0696
 BALL VALVE	PP, threaded w/EPDM "O"-ring	33-0560	—	33-0561	33-0609	—	—	—	—
 FOOT VALVE	PVC, threaded with strainer	33-0541	—	33-0542	33-0543	33-0544	33-0545	33-0546	33-05477
 VERTICAL CHECK VALVE	PVC, threaded	33-0593	—	33-0594	33-0595	33-0596	33-0597	33-0598	33-0599
 VENT VALVE	PP (1/4")	33-8108	PP	 THUMBSCREW / PLUG, 1/4" w/"O" ring				 w/EPDM 88-1282A	 w/Viton 88-1282B
	CPVC (3/8")	33-0051						PP PVDF	88-2833



Registered Trademarks: Teflon - DuPont; Viton - DuPont Dow Elastomers; Halar - Ausimont.















POLYPROPYLENE QUICK-CONNECT COUPLINGS

FOR: PLATING, ANODIZING, FERTILIZER, CHEMICALS, PETROLEUM

Working Pressures: 100 PSI at 0°F, 125 PSI at 70°F, 70 PSI at 150°F

Vacuum - 28 inches Mercury

- MOLDED OF GLASS REINFORCED POLYPROPYLENE
 - NYLON LEVERS
 - STAINLESS STEEL PINS AND RINGS
 - INTERCHANGEABLE WITH OTHER BRANDS
 - RESISTANT TO MANY CHEMICALS, RUST-PROOF
 - MANUFACTURED TO MILITARY SPECIFICATIONS
 - RETAINED GASKETS IN COUPLERS WILL NOT FALL OUT WHEN CONNECTIONS ARE OPEN
 - SIZE IDENTIFICATION MOLDED INTO EACH PART
 - NPT OR BSP THREADS
- (Consult Application Engineering Dept. for BSP.)

FEMALE COUPLER w/EPDM GASKET								
DESCRIPTION	PRICE CODE NO.							
	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3"	
DUST CAP 	33-1586	33-1587	33-1588	—	33-1589	33-1590	33-1591	
MALE THREADS 	33-1334	33-1287	33-1352	—	33-1353	33-1497	33-1581	
HOSE ADAPTER 	33-1572	33-1573	33-1574	33-2275	33-1329	33-1506	33-1585	
FEMALE THREADS 	33-1454	33-1455	33-1285	—	33-1456	33-1498	33-1582	
MALE ADAPTER								
HOSE ADAPTER 	33-1564	33-1565	33-1566	—	33-1567	33-1568	33-1569	
MALE THREADS 	33-1335	33-1288	33-1286	—	33-1284	33-1499	33-1583	
FEMALE THREADS 	33-1466	33-1467	33-1468	33-2276	33-1469	33-1496	33-1580	
DUST PLUG 	33-1592	33-1593	33-1594	—	33-1595	33-1596	33-1597	
REPLACEMENT GASKETS for quick-connect couplings								
EPDM 	33-1475	33-1476	33-1477	—	33-1478	33-1500	33-1584	
BUNA N	64-1481 71	64-1482 71	64-1483 71	—	64-1625 71	64-1626 71	64-1627 71	
VITON	—	—	—	—	64-1625 73	64-1626 73	64-1627 73	
STREET ELBOWS								
POLYPROPYLENE								
NPT 	—	—	—	—	64-0753 40	64-0752 40	64-0756 40	
BSP	—	—	—	—	64-1366 40	64-1367 40	64-1368 40	



HOSE KITS

KITS FOR LABMASTER® AND SPACE-SAVER® SYSTEMS

PUMP MODEL	CHAMBER MODEL	SUCTION HOSE PRICE CODE #, SIZE	DISCHARGE HOSE PRICE CODE #, SIZE	CLAMPS QTY., PRICE CODE #	FITTINGS QTY., PRICE CODE #	SUCTION STRAINER PRICE CODE #	PRIMING KIT PRICE CODE #	TOTAL KIT PRICE CODE #
A X40	L (CPVC, PVC)	22-0484 6 ft., 5/8" VW	22-0484 6 ft., 5/8" VW	(2) 22-0502	(1) 33-0503	99-0166	99-0160	99-1600
A X40	L (PP)	22-0480 6 ft., 5/8" VN	22-0480 6 ft., 5/8" VN	(2) 22-0502	(1) 33-0503 K	99-0166	99-0160	99-1601
B X50 / X100	L (CPVC, PVC)	22-0482 10 ft., 3/4" VW	22-0482 10 ft., 3/4" VW	(2) 22-0505	(1) 33-0711	99-1160	99-0160	99-1602
B X50 / X100	L (PP)	22-0481 10 ft., 3/4" VN	22-0481 10 ft., 3/4" VN	(2) 22-0505	(1) 33-0711 K	99-1160	99-0160	99-1603
B	S (CPVC, PVC)	22-0482 10 ft., 3/4" VW	22-0482 10 ft., 3/4" VW	(2) 22-0505	(1) 33-1360	99-1160	99-0160	99-1604
B	S (PP)	22-0481 10 ft., 3/4" VN	22-0481 10 ft., 3/4" VN	(2) 22-0505	(1) 33-1360 K	99-1160	99-0160	99-1605
X200 / X250	S (CPVC)	22-0483 10 ft., 1" VW	22-0483 10 ft., 1" VW	(2) 22-0505	(1 ea.)33-1468/33-1574 (1 ea.)33-1286/33-1574	99-0741	99-0161	99-1606
X200 / X250	S (PP, PVC)	22-0432 10 ft., 1" VN	22-0432 10 ft., 1" VN	(2) 22-0505	(1 ea.)33-1468/33-1574 (1 ea.)33-1286/33-1574	99-0741	99-0161	99-1607
HC1x3/4 D1x3/4 M1x3/4	S (CPVC)	22-0483 10 ft., 1" VW	22-0483 10 ft., 1" VW	(2) 22-0505	(2 ea.)33-1286/33-1574	99-0741	99-0161	99-1608
HC1x3/4 D1x3/4 M1x3/4	S (PP, PVC)	22-0432 10 ft., 1" VN	22-0432 10 ft., 1" VN	(2) 22-0505	(2 ea.)33-1286/33-1574	99-0741	99-0161	99-1609
D1½x1 M1½x1 F1½x1¼	S (CPVC)	22-0528 10 ft., 1-1/2" VW	22-0527 10 ft., 1-1/4" VW	(2) 22-0503	(1 ea.)33-1284/33-1329 (1 ea.)33-2276/33-2275	99-0743	—	99-1610
D1½x1 M1½x1 F1½x1¼	S (PP, PVC)	22-0434 10 ft., 1-1/2" VN	22-0433 10 ft., 1-1/4" VN	(2) 22-0503	(1 ea.)33-1284/33-1329 (1 ea.)33-2276/33-2275	99-0743	—	99-1611
HK1½x1½	S (CPVC)	22-0528 10 ft., 1-1/2" VW	22-0527 10 ft., 1-1/4" VW	(2) 22-0503	(1 ea.)33-1469/33-1329 (1 ea.)33-2276/33-2275	99-0743	—	99-1612
HK1½x1½	S (PP, PVC)	22-0434 10 ft., 1-1/2" VN	22-0433 10 ft., 1-1/4" VN	(2) 22-0503	(1 ea.)33-1469/33-1329 (1 ea.)33-2276/33-2275	99-0743	—	99-1613
G2x2	S (CPVC, PVC, PP)	22-0529 10 ft., 2" VW	22-0527 10 ft., 1-1/4" VW	(1) 22-0503 (1) 22-0504	(1 ea.)33-1496/33-1506 (1 ea.)33-2276/33-2275	99-0744	—	99-1614

KITS FOR SUPER SPACE-SAVER® AND GUARDIAN® SYSTEMS

PUMP MODEL	CHAMBER MODEL	SUCTION HOSE PRICE CODE #, SIZE	DISCHARGE HOSE PRICE CODE #, SIZE	CLAMPS QTY., PRICE CODE #	FITTINGS QTY., PRICE CODE #	SUCTION STRAINER PRICE CODE #	TOTAL KIT PRICE CODE #
HC1x3/4 D1x3/4 M1x3/4	G	22-0483 10 ft., 1" VW	22-0432 10 ft., 1" VN	(2) 22-0505	(2 ea.) 33-1286 / 33-1574 (1 ea.) 33-1137 / 33-0183	99-0741	99-1615
M1½x1 D1½x1 F1½x1¼	G, GC	22-0528 10 ft., 1-1/2" VW	22-0394 10 ft., 1-1/2" PVC	(2) 22-0503	(2 ea.) 33-1284 / 33-1329	99-0743	99-1616
HK1½x1½	G	22-0528 10 ft., 1-1/2" VW	22-0394 10 ft., 1-1/2" PVC	(2) 22-0503	(1 ea.) 33-1284 / 33-1329 (1 ea.) 33-1469 / 33-1329	99-0743	99-1617
HE2x1½	G	22-0529 10 ft., 2" VW	22-0394 10 ft., 1-1/2" PVC	(1) 22-0503 (1) 22-0504	(1 ea.) 33-1499 / 33-1506 (1 ea.) 33-1284 / 33-1329	99-0744	99-1619
HE2x1½ F2X2 S2X2	GC	22-0529 10 ft., 2" VW	22-0395 10 ft., 2" PVC	(2) 22-0504	(2 ea.) 33-1499 / 33-1506	99-0744	99-1620
G2x2	G, GC	22-0529 10 ft., 2" VW	22-0394 10 ft., 1-1/2" PVC	(1) 22-0503 (1) 22-0504	(1 ea.) 33-1496 / 33-1506 (1 ea.) 33-1284 / 33-1329	99-0744	99-1622





CLAMPS & FLOOR MATS

316 SS SPRING CLAMPS

WITH HOOKS




Handy, quick, firm, reliable way to prevent hoses from slipping out of tanks. **and WITH HOSE CLAMP**

For positioning hose, photo negatives, printed circuit boards. (Even the rivet and spring are 316 stainless steel).

HOLDS HOOKS TO BUS BARS
OR
PARTS TO RACKS
OR
HOSE TO TANKS, ETC.

WILL NOT CONTAMINATE
YOUR SOLUTION IF
DROPPED IN THE TANK



PAY FOR THEMSELVES MANY TIMES OVER
DON'T BE SORRY . . . ORDER SOME TODAY


DIMENSIONS	FORCE TO OPEN FROM CLOSED	PRICE CODE NUMBER
Small - 4.5"	12 lbs.	99-0190
Large - 7.0"	22 lbs.	99-0191

WITH HOSE CLAMP	FOR HOSE SIZE I.D.	PRICE CODE NUMBER
Small - 4.5"	1/2" to 1"	99-0190A
Large - 7.0"	1-1/4" to 2"	99-0191A



POLYMAT® PVC FLOOR MATS

NON-SKID, ANTI-FATIGUE, INSULATING



Scores of applications:

- Walkways around machinery*
- Assembly lines / Entryways*
- Showers / Freezers / Work benches*
- Processing areas / Livestock pens*
- Marine installations / Truck beds*

- Prevent accidents on slippery surfaces
- Prevent cold, fatigued feet
- Protects surfaces
- Recycled PVC



Made from recycled materials.

DESCRIPTION	PRICE CODE NO.	WT./ EA. ounces	QUANTITY / PRICE EACH			
Black interlocking 12" square tile (packed 24 per carton)	99-1452	11.5	6 - 96	97 - 480	481 - 960	961 +
			\$ 2.95	\$ 2.80	\$ 2.65	\$ 2.37
OSHA yellow edge trim	99-1454	2	1 - 23	24 - 95	96 +	
			\$ 1.00	\$.95	\$.80	




SKIMMER ASSEMBLY & FLOATING BALLS

SKIMMER ASSEMBLY


To remove floating oil & particulates from cleaners, plating baths and other two-phase liquids.

MODEL NUMBER	SKIM RATE GPM	CONNS.	INLET LENGTH	RISER LENGTH	BRACKET 1/2" THICK	LIQUID LEVEL DIFF.	PRICE CODE NO.
SK 1/2	2-5	1/2"	15"	13"	4" x 2"	2"	99-0475
SK 3/4	5-10	3/4"	18"	18"	4" x 2"	2"	99-0476
SK 1	10-15	1"	18"	18"	6" x 2"	4"	99-0477
SK 1 1/4	15-20	1 1/4"	18"	18"	6" x 2"	4"	99-0478
SK 1 1/2	25-40	1 1/2"	24"	24"	8" X 4"	6"	99-1458
SK 2	40-60	2"	24"	24"	8" X 4"	6"	99-1459
SK 3	60-80	3"	24"	24"	10" X 6"	8"	99-1460

SK 1/2 to SK 1 1/4 have NPT inlet and hose adapter outlet.
SK 1 1/2 to SK 3 have NPT inlet and outlet.




AUXILIARY MOUNTING



BALLS, SOLID POLYPROPYLENE

"FLOATING SOLUTION BLANKET" - for all processing chemicals
SAVE ENERGY - REDUCE POLLUTION



**PLATING / CLEANING / ETCHING
ANODIZING / HOT RINSE**

Solid polypropylene balls floating on an open tank will reduce the exposed surface area - up to 90%, thereby greatly lessening the emission of objectionable fumes and odors. A carpet of "Energy Controlling Balls" will reduce heat or refrigeration loss and evaporation in open tank installations, such as those used in plating. Access to the tank is not impaired. Balls maintain compact coverage as parts move in and out. Solid polypropylene balls will not sink and have a longer service life than hollow balls. Polypropylene is non-toxic and resistant to most chemicals. (Consult Chemical Resistance Chart.) Withstands temperatures to 230°F. (110°C)

- **ELIMINATES MIST & EXCESS EVAPORATION**
Prevents noxious fumes
- **INSULATES - Keeps hot or cold**
Saves heating or refrigeration energy
- **SELF-ADJUSTING - No hang-ups or sinking**
Automatically maintains coverage
- **EASY ACCESS TO TANK - In or out**
- **SIZES: 1" & 1-1/2" (25mm & 38mm)**

DIAMETER		QUANTITY *	COVERAGE		SHIPPING WEIGHT		PRICE CODE NUMBER
In.	mm		Sq. ft.	Sq. M	Lbs.	Kg.	
1	25	1,000	6.1	.56	17.6	8	99-0640
1-1/2	38		13.8	1.28	52.8	24	99-0641

* Sold by weight — quantity may vary slightly.

